

# INDEX MAPS.

## T.15N, R. 6E. 2<sup>nd</sup> Mer.

	289		288		288		287		287		287	
291	6	312	5	308	4	304	3	299	2	295	1	286
	<del>314</del>		<del>312</del>		<del>307</del>		<del>303</del>		<del>299</del>		<del>294</del>	
290	7	311	8	307	9	303	10	298	11	294	12	286
	<del>314</del>		<del>311</del>		<del>307</del>		<del>302</del>		<del>298</del>		<del>294</del>	
290	18	311	17	306	16	302	15	298	14	293	13	286
	<del>313</del>		<del>310</del>		<del>306</del>		<del>302</del>		<del>297</del>		<del>293</del>	
290	19	310	20	306	21	301	22	297	23	293	24	285
	<del>313</del>		<del>309</del>		<del>305</del>		<del>301</del>		<del>296</del>		<del>292</del>	
289	30	309	29	305	28	300	27	296	26	292	25	285
	<del>313</del>		<del>309</del>		<del>304</del>		<del>300</del>		<del>296</del>		<del>291</del>	
289	31	308	32	304	33	300	34	295	35	291	36	285
	<del>284</del>		<del>284</del>		<del>284</del>		<del>283</del>		<del>283</del>		<del>283</del>	

## T.16N, R. 6E. 2<sup>nd</sup> Mer.

323	6	349	5	342	4	338	3	333	2	328	1	320
	<del>349</del>		<del>348</del>		<del>342</del>		<del>337</del>		<del>333</del>		<del>327</del>	
322	7	348	8	341	9	337	10	332	11	327	12	320
	<del>347</del>		<del>347</del>		<del>341</del>		<del>336</del>		<del>332</del>		<del>326</del>	
322	18	346	17	340	16	336	15	331	14	326	13	320
	<del>346</del>		<del>345</del>		<del>340</del>		<del>336</del>		<del>331</del>		<del>325</del>	
322	19	345	20	340	21	335	22	330	23	325	24	319
	<del>345</del>		<del>344</del>		<del>339</del>		<del>335</del>		<del>330</del>		<del>325</del>	
321	30	344	29	339	28	334	27	329	26	324	25	319
	<del>343</del>		<del>343</del>		<del>338</del>		<del>334</del>		<del>329</del>		<del>324</del>	
321	31	342	32	338	33	333	34	329	35	323	36	319
	<del>318</del>		<del>318</del>		<del>318</del>		<del>317</del>		<del>317</del>		<del>317</del>	

[ ] The figures on the lines refer to the page.

Township Series.  
South Boundary.

West on the S. Boundary of Sec. 36

27.30 an Oak 24 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia. bears S 80° W 16 lbs. dist. 3,

a Do 7 " " " N 62° E 10 " "

57.10 a Lycamore 48 " "

80.00 set part cor. of sec. 35 & 36 from which

an Oak 18 in. dia. bears S 27° E 3 lbs. dist. 3,

an Ash 12 " " " S 85° W 19 " "

Over good farming land, timbered Beech, Ash &  
Upr. Spruce

West on the S. Boundary of Sec. 35

37.50 a Brook 15 lbs. wide course S W

40.00 set g. sec. part from which

a Sugar 13 in. dia. bears N 39° W 3 lbs. dist. 3,

a Beech 12 " " " N 54° E 10 " "

44.28 a Do 14 " "

80.00 set part cor. of sec. 34 & 35 from which

an Ash 8 in. dia. bears S 89° E 23 lbs. dist. 3,

a Hickory 7 " " " S 48° W 4 " "

Over level land, timbered Oak, Elm &

West on the S. Boundary of Sec. 34

22.00 an Oak 48 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia. bears N 81° E 28 lbs. dist. 3,

a Do 8 " " " S 81° W 24 " "

54.35 a Do 24 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 10 in. dia. bears S 86° E 31 lbs. dist. 3,

a Do 8 " " " S 68° W 23 " "

T. 15 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Over level land, timber Elm, Oak, Hickory,  
Upr. Swamp Willow

West on the S. Boundary of Sec. 33  
24.00 a Creek 50 Yds. wide course S  
40.00 Set g. sec. part from which  
a Beech 8 in. dia. bears S 77° E 23 Yds. dist. S  
a Do 14 " " " S 82° W 10 " "  
44.30 a Brook 7 Yds. wide course S  
53.17 an Oak 13 in. dia.  
80.00 Set part cor. of sec. 32 & 33 from which  
an Oak 48 in. dia. bears N 82° E 20 Yds. dist. S  
a Beech 8 " " " S 26° W 7 " "  
Over level land, timber Oak, Beech &c.  
July 28. 1819

West on S. Boundary of Sec. 32  
40.00 Set g. sec. part from which  
a — 18 in. dia. bears S 38° E 5 Yds. dist. S  
a Hickory 16 " " " N 58° W 24 " "  
77.50 a Creek 100 Yds. wide course SW  
80.00 Set part cor. of sec. 31 & 32 from which  
a Sycamore 24 in. dia. bears N 15° E 21 Yds. dist. S  
a Do 28 " " " S 10° E 25 " "  
Over brushy land, timber Beech, Ash &c.

West on the S. Boundary of Sec. 31  
24.67 an Oak 30 in. dia.  
40.00 Set g. sec. part from which  
an Ash 28 in. dia. bears S 60° E 30 Yds. dist. S  
a Do 14 " " " N 36° W 12 " "  
66.50 a Walnut 24 " "  
80.00 Intersect W. Boundary at Township corner.  
July 29. 1819

T. 15 N., R. 6 E. S. Mer. Ind.<sup>a</sup>East Boundary, Var. 6<sup>th</sup> 36<sup>th</sup> E

North on the E. Boundary of Sec. 36

27.27 a W. Ash 28 in. dia.

40.00 set of sec. part from which

an Ash 16 in. dia bears N 43° W 15 lbs. dist. 3

an Elm 28 " " " S 43° E 28 " "

62.29 a W. Oak 50 " "

80.00 set part cor. of sec. 35 &amp; 36 from which

a Beech 14 in. dia bears N 60° W 5 lbs. dist. 3

a Do 36 " " " N 41° E 25 " "

Level & rate land, Beech, Sugar, W. Ash, Elm,  
W. Oak, Poplar & Upr. Spice, Pawpaw &c.

July 28. 1819

North on the E. Boundary of Sec. 25

7.00 a Branch 20 lbs. wide corner S W

32.76 an Elm 36 in. dia.

40.00 set of sec. part from which

an Elm 7 in. dia bears N 89° W 5 lbs. dist. 3

a Dogwood 6 " " " S 74° E 14 " "

46.30 a Beech 21 " "

78.10 a Do 24 " "

80.00 set part cor. of sec. 24 &amp; 25 from which

a Beech 10 in. dia bears S 18° W 42 lbs. dist. 3

a Do 9 " " " S 66° E 38 " "

Good farming land, timber Beech, Sugar, W.  
Ash, Poplar & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 24

35.14 a Beech 30 in. dia.

40.00 set of sec. part from which

a Beech 16 in. dia bears N 88° W 12 lbs. dist. 3

a Do 7 " " " S 49° E 26 " "

64.79 a Do 28 " "



T. 15 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>

80.00 set post cor. of sect. 13 & 24 from which  
 a Beech 14 in. diameter S 38 E 9 lbs. dist. 8  
 a Hickory 15 " " " N 45 E 12 " "  
 Good farming land, timbered as last noted

## North on the E. Boundary of Sec. 13

38.52 a Beech 20 in. dia.

40.00 set of sec. post from which  
 a Beech 12 in. diameter N 54 W 9 lbs. dist. 8  
 a Do 16 " " " S 13 E 32 " "

74.00 a Branch 20 lbs wide course NN

80.00 set post cor. of sect. 12 & 13 from which  
 a Beech 8 in. diameter S 37 W 5 lbs. dist. 8  
 a Blue Ash 14 " " " N 35 E 18 " "

Good farming land, timbered Beech, Sugar, W &  
 Blue Ash, Poplar, W. Oak & Hickory & Herbage  
 Nettles, Peavine & Baloo

## North on the E. Boundary of Sec. 12

6.41 a W. Ash 33 in. dia.

40.00 set of sec. post from which  
 a Beech 10 in. diameter N 71 W 7 lbs. dist. 8  
 a Do 6 " " " N 32 E 8 " "

47.99 a Do 18 " "

80.00 set post cor. of sect. 1 & 12 from which  
 a Beech 20 in. diameter S 15 W 27 lbs. dist. 8  
 a Do 21 " " " N 30 E 16 " "  
 Good farming land, timbered as last noted.

## North on the E. Boundary of Sec. 1

6.79 a B. Oak 48 in. dia.

15.00 a Branch 15 lbs. wide course S W

40.00 set of sec. post from which  
 a Beech 16 in. diameter N 37 W 24 lbs. dist. 8

T. 15 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Beech 6 in. dia. bears S 67 E 6 1/2 m. dist.

60.03 a W. Ash 25 " "

66.52 Intersect N. Boundary 442 m. E. of 6 mile post  
set post at intersection cor. of T. 15 & 16 N., R. 6 & 7 E. from  
which a Beech 12 in. dia. bears N 68 E 31 m. dist.

a Do 12 " " S 47 W 28 " "

Good 2<sup>d</sup> rate land, Beech, Sugar, W. & Blue Ash,  
Elm, Poplar, Oak, Hickory & Upr. Spice, Pawpaw

North Boundary. Var. 6<sup>th</sup> 30' E.

West on the S. Boundary of Sec. 36, T 16 N., R 6 E

7.89 a W. Oak 50 in. dia.

40.00 Set of Sec. post from which

a Beech 18 in. dia. bears N 77 E 24 m. dist.

a Buckeye 6 " " S 69 W 19 " "

73.24 a Beech 16 " "

80.00 Set post cor. of sec. 35 & 36 from which

a Beech 7 in. dia. bears N 28 W 31 m. dist.

a Do 15 " " S 12 E 16 " "

Good farming land, timbered Beech, Sugar, Willow,  
Hickory, W. Ash & Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 35, T 16 N., R 6 E

1.68 a Hickory 22 in. dia.

14.45 a Beech 28 " "

16.00 Set of Sec. post from which

an Ash 33 in. dia. bears N 56 W 14 m. dist.

an Elm 15 " " S 6 E 27 " "

80.00 Set post cor. of sec. 34 & 35 from which

a Beech 8 in. dia. bears N 39 W 6 m. dist.

a Buckeye 8 " " S 57 W 4 " "

Good farming land, timbered as last noted

West on the S. Boundary of Sec. 34, T 16 N., R 6 E

## T. 15 N., R. 6 E. 2. Mer. Ind. a

- 21.77 a Beech 10 in. dia  
 40.00 Set g. sec. post from which  
 a W. Ash 36 in. dia bears N 56 E 5 lbs. dist. 8  
 a Hickory 18 " " " S 22 E 7 " "  
 49.59 a Beech 15 " "  
 63.50 a Beech 100 lbs. wide corner S 4 W  
 80.00 Set post cor. of sec. 33 & 34 from which  
 a Sugar 15 in. dia bears N 24 E 23 lbs. dist. 8  
 a Beech 18 " " " S 54 W 11 " "  
 Rich rolling land, Beech, Sugar, Elm, Blue &  
 W. Ash, Buckeye & Upr. Spice, Pawpaw &
- 
- West on the S. Boundary of Sec. 33, T 16 N, R 6 E  
 40.00 Set g. sec. post from which  
 a Beech 18 in. dia bears N 24 E 20 lbs. dist. 8  
 a Do 14 " " " S 75 W 13 " "  
 51.74 a W. Oak 50 " "  
 80.00 Set post cor. of sec. 32 & 33 from which  
 a Sugar 8 in. dia bears N 34 E 15 lbs. dist. 8  
 a Hickory 21 " " " S 18 E 33 " "  
 This mile mostly level wet land, Beech, Ash, Elm,  
 Oak, Hickory, Sugar & Upr. Spice, Pawpaw, Buckeye &
- 
- West on the S. Boundary of Sec. 32, T 16 N, R 6 E  
 14.24 a W. Ash 21 in. dia.  
 40.00 Set g. sec. post from which  
 a Beech 14 in. dia bears N 86 W 13 lbs. dist. 8  
 a W. Oak 25 " " " S 79 W 17 " "  
 45.53 a Do 40 " "  
 80.00 Set post cor. of sec. 31 & 32 from which  
 a W. Oak 28 in. dia bears N 67 W 23 lbs. dist. 8  
 a W. Ash 10 " " " S 64 E 16 " "  
 Level wet land, timber as last noted.

T. 15 N., R. 6 E., 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

West on the S. Boundary of Sec. 31, T16N, R6E.  
21.24 a W. Ash 16 in. dia.

40.00 Set of sec. post from which  
an Ash 20 in. dia bears N55E 10 Ms. dist. 8  
a Maple 15 " " " S66E 7 " "

48.10 a Sycamore 21 " "

74.55 Intersect W. Boundary at post cor. of T. 15 & 16  
N, R. 5 & 6 E.

Low swampy land, Ash, Elm, Maple, Corner  
Beech &c. July 30. 1819 Friday

West Boundary. Var. 6<sup>th</sup> 15<sup>th</sup> E.

North on the E. Boundary of Sec. 36, T15N, R5E

40.00 Set of sec. post from which  
a Beech 10 in. dia bears N85W 21 Ms. dist. 8  
an Elm 10 " " " N87E 16 " "

80.00 Set post cor. of sect. 25 & 36 from which  
a Beech 15 in. dia bears S87E 8 Ms. dist. 8  
an Oak 20 " " " S89W 13 " "

Over level land, timber Beech, Sugar &c. Spruce

North on the E. Boundary of Sec. 25, T15N, R5E

0.50 a Creek 40 Ms. wide course SE

8.12 a Beech 16 in. dia.

17.00 a Creek 40 Ms. wide course SW

40.00 Set of sec. post from which  
a W. Ash 25 in. dia bears West 1 Ms. dist. 8  
a Do 18 " " " N67E 17 " "

70.73 a Sugar 9 " "

80.00 Set post cor. of sect. 24 & 25 from which  
a Beech 30 in. dia bears N66E 10 Ms. dist. 8  
a Do 6 " " " S19W 4 " "

Good farming land, Beech, Sugar, W. Ash, Elm,  
W. Oak, Hickory &c. Upr. Spruce, Paper

T. 15 N., R. 6 E., 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

North on the E. Boundary of Sec. 24, T 15 N, R 5 E

24.12 a W. Ash 24 in. dia.

33.00 a Branch 20 ft. wide corner SE

40.00 set q. sec. post from which

a Beech 6 in. dia. bears N 88 E 4 ft. dist. 8

a Do 12 " " " S 77 W 20 " "

54.45 a Walnut 27 " "

80.00 set post cor. of sec. 13 & 24 from which

a Sycamore 48 in. dia. bears S 51 E 18 ft. dist. 8

a Beech 12 " " " S 87 W 21 " "

Level State land, Beech, Ash, Elm, Oak, Hickory,  
Sycamore & Upr. Spice, Pawpaw, Ash &c.

North on the E. Boundary of Sec. 13, T 15 N, R 5 E

19.07 a W. Oak 36 in. dia.

40.00 set q. sec. post from which

a Gum 13 in. dia. bears S 32 E 25 ft. dist. 8

a Beech 10 " " " N 15 W 25 " "

41.63 an Elm 24 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 10 in. dia. bears S 53 W 23 ft. dist. 8

a Do 8 " " " N 35 E 9 " "

Level State land, Beech, W. Oak, Hickory,  
W. Ash, Elm & Gum - Upr. Spice &c.

North on the E. Boundary of Sec. 12, T 15 N, R 5 E

6.62 a W. Oak 27 in. dia.

40.00 set q. sec. post from which

an Elm 8 in. dia. bears N 73 E 8 ft. dist. 8

a Beech 11 " " " S 68 W 35 " "

65.40 a Hickory 22 " "

80.00 set post cor. of sec. 1 & 12 from which

an Elm 25 in. dia. bears S 78 W 12 ft. dist. 8

a Beech 10 " " " S 72 E 5 " "



T. 15 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>

Level wet land, Beech, Elm, Ash, Oak, Hickory,  
Sycam & Upr. Spice, Hazelnut &c.

North on the E. Boundary of Sec. 1, T15N, R5E  
24.93 a W. Oak 36 in. dia.

40.00 Set g. sec. post from which  
an Elm 30 in. dia. bears S 27 E 12 1/2 lbs. dist. 8  
a Sap. Ash 14 " " " N 40 W 30 " "

66.20 Intersect N. Boundary 545 lbs. E. of Quail post  
set post cor. of T. 15 & 16 N, R. 5 & 6 E from which  
an Ash 9 in. dia. bears N 41 W 2 1/2 lbs. dist. 8  
a Poplar 20 " " " S 76 W 17 " "

Timber as last noted. Saturday July 3, 1819

John M. Donald

Dep. Surveyor.

## Subdivision. Var. 6. N. E.

North between Sec. 35 & 36, T15N, R6E

19.50 an Ash 15 in. dia.

40.00 Set g. sec. post from which  
a Beech 18 in. dia. bears S E 20 lbs. dist. 8  
a Do 16 " " " N 23 E 21 " "

63.85 a Do 10 " "

80.00 Set post cor. of sec. 25, 26, 35 & 36 from which  
an Ash 17 in. dia. bears S 61 W 15 lbs. dist. 8  
a Hawthorn 5 " " " N 10 E 17 " "

Land level 2<sup>d</sup> rate, timber Beech, Ash, Oak &c.  
Upr. Spice &c.

East on Random between Sec. 25 & 36

40.00 Set temp. g. sec. post

79.97 Intersect E. Boundary 14 lbs. N. of post -

Land level 2<sup>d</sup> rate, timber Beech, Sugar, Elm &c.  
Upr. Spice &c.

T. 15 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

West Cancelled between Sec. 25 &amp; 26

20.25 a Beech 10 in. dia.

39.98 set g.<sup>1</sup> sec. post at aver. dist. from which  
a Beech 20 in. dia. bears S 15 E 25 lbs. dist. 8  
a Do 11 " " " N 10 W 14 " "

61.50 a Do 10 " "

79.97 to sec. cor.

North between Sec. 25 &amp; 26

17.00 a Stream 50 lbs. wide course S W

23.80 a W. Ash 18 in. dia.

40.00 set g.<sup>1</sup> sec. post from which

a Sugar 15 in. dia. bears N 70 W 12 lbs. dist. 8

a Beech 12 " " " East 24 " "

62.00 a Do 11 " "

80.00 set post cor. of sec. 23, 24, 25 &amp; 26 from which

a W. Ash 14 in. dia. bears S 40 W 12 lbs. dist. 8

a Beech 11 " " " N 60 E 12 " "

Land level 2<sup>d</sup> rate, timber Beech, Ash, Oak,  
Elm, Hickory & Upr. Spruce &

East on Random between Sec. 24 &amp; 25

8.00 a Sulphur Spring

10.00 a Stream 50 lbs. wide course S

40.00 set temp. g.<sup>1</sup> sec. post

80.20 Intersect E. Boundary 34 lbs. N. of post—

Land level 2<sup>d</sup> rate, timber Beech, Ash, Oak,  
Elm, Sugar & Upr. Spruce &

West Corrected between Sec. 24 &amp; 25

20.00 a Beech 8 in. dia.

40.10 set g.<sup>1</sup> sec. post at aver. dist. from which

a Sugar 20 in. dia. bears North 13 lbs. dist. 8

a Beech 18 " " " S 50 W 28 " "

T. 15 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

60.85 a Beech 10 in. dia.

80.20 to sec. cor.

North between Sec. 23 &amp; 24

20.50 a Beech 11 in. dia.

40.00 set of sec. part from which

a Beech 18 in. dia. bears North 9 W. dist. 8

a Buckeye 9 " " South 11 " "

59.40 a W. Ark 9 " "

80.00 set part cor. of sec. 13, 14, 23 &amp; 24 from which

a Maple 12 in. dia. bears S 40 W 14 W. dist. 8

a W. Walnut 5 " " N 60 E 20 " "

Land level 2<sup>d</sup> rate, timber Oak, Beech, Sugar,

Ash &amp; Upr. Spruce

East on Random between Sec. 13 &amp; 24

40.00 set of sec. part (temp.)

80.00 Intersub E. Boundary 39 W. N. of part-

Land level 2<sup>d</sup> rate, timber Ash, Beech, Sugar,

Elm &amp; Upr. Spruce

West Corrected between Sec. 13 &amp; 24

20.25 a Beech 10 in. dia.

40.00 set of sec. part at aver. dist. from which

a Beech 12 in. dia. bears N 28 E 12 W. dist. 8

a W. Ark 6 " " S 54 W 23 " "

62.50 a Beech 8 " "

80.00 to sec. cor. September 10. 1820

North between Sec. 13 &amp; 14

19.90 an Elm 22 in. dia.

40.00 set of sec. part from which

a Willow 6 in. dia. bears N 20 E 25 W. dist. 8

a Do 5 " " N 80 W 5 " "

T. 15 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

59.75 a Maple 10 in. dia.

80.00 set post con. of sec. 11, 12, 13 & 14 from which  
a Buckeye 12 in. dia. bears S E 24 W. dist. 8  
a Hackberry 8 " " " North 21 " "  
Land level 2<sup>d</sup> rate, timber Beech, Hickory, Buck-  
eye, Sugar & Upr. Spice &c.

## East on Random between Sec. 12 &amp; 13

40.00 set temp. g. sec. post

80.08 Intersect E. Boundary 18 W. N. of post -  
Land level 3<sup>d</sup> rate, timber Ash, Beech, Locust,  
Elm & Upr. Spice

## West Connected between Sec. 12 &amp; 13

20.00 a Beech 6 in. dia.

40.04 set g. sec. post at aver. dist. from which  
a Beech 15 in. dia. bears N 30 W 12 W. dist. 8  
a Do 14 " " " S 33 W 33 " "

61.00 a Do 12 " "

80.08 to sec. con.

## North between Sec. 11 &amp; 12

18.70 a Honey Locust 18 in. dia.

40.00 set g. sec. post from which  
a Hickory 4 in. dia. bears S 80 E 12 W. dist. 8  
a S. Beech 4 " " " S 85 W 20 " "

58.00 a Hickory 11 " "

80.00 set post con. of sec. 1, 2, 11 & 12 from which  
a R. Elm 6 in. dia. bears N 10 E 10 W. dist. 8  
a S. Ash 7 " " " N 87 W 20 " "  
Land level 2<sup>d</sup> rate, timber Beech, Sugar, Ash,  
Elm & Upr. Spice

## East on Random between Sec. 1 &amp; 12

T. 15 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>

40.00 Set temp. g. sec. port

80.25 Intersect E. Boundary 42<sup>1</sup>/<sub>2</sub> M. N. of port -  
Land level 2. rate, timber Ash, Beech, Poplar, Spice

West Connected between Sec. 1 &amp; 12

20.80 a Beech 10 in. dia.

40.12 Set g. sec. port at aver. dist. from which  
a Beech 6 in. dia. bears N 60 E 10 M. dist. 3  
a Sugar 6 " " S 30 W 12 " "

54.60 a Beech 13 " "

80.25 to Sec. cor.

North between Sec. 1 &amp; 2

20.30 a Hickory 13 in. dia.

40.00 Set g. sec. port from which  
a Beech 11 in. dia. bears S 50 W 40 M. dist. 3  
a Do 10 " " " N E 27 " "

54.60 a Do 16 " "

66.88 Intersect N. Boundary 27<sup>1</sup>/<sub>2</sub> M. E. of port -Set port at intersection cor. of sec. 1 & 2 from which  
a Beech 8 in. dia. bears North 20 M. dist. 3

a Do 9 " " " S 40 W 28 " "

Land level 2. rate, timber Beech, Ash, Oak, Elm  
& Upr. Spice September 11. 1820

North between Sec. 34 &amp; 35

20.15 a Stream 50 M. wide course W

21.25 a W. Elm 16 in. dia.

40.00 Set g. sec. port from which  
a Beech 7 in. dia. bears S 60 W 11 M. dist. 3  
a Hickory 6 " " " North 26 " "

62.75 a W. Elm 15 " "

80.00 Set port cor. of sec. 20 & 27, 34 & 35 from which  
a Beech 3 in. dia. bears East 4 M. dist. 3



T. 15 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a W. Ash 10 in. dia. bears West 20 lbs. dist.

Land 3<sup>d</sup> rate, timber Beech, Oak, Ash, Hickory &  
Upr. Spice

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

47.50 a Stream 50 lbs. wide course S

72.50 a Do 50 " " " S

79.27 Intersect N. S. line 4 lbs. N. of post -

Land hilly 2<sup>d</sup> rate, timber Beech, Ash, Oak, Buck-  
eye & Upr. Spice &

West Connected between Sec. 26 & 35

18.70 a Blue Ash 6 in. dia.

39.64 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears NE 11 lbs. dist. &

a Do 10 " " " S 80° W 15 " "

58.57 a Do 11 " "

79.27 to sec. cor.

North between Sec. 26 & 27

25.40 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears S 57° E 18 lbs. dist. &

a Do 11 " " " N 35° W 20 " "

62.00 a Hickory 8 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 6 in. dia. bears North 10 lbs. dist. &

a Do 6 " " " S 20° W 13 " "

Land level 3<sup>d</sup> rate, timber Beech, Ash, Oak, Sugar  
& Upr. Spice &

East on Random between Sec. 23 & 26

12.00 a Swamp

## T. 15 N., R. 6 E., T. 1 Mer. Ind. A

26.00 dry land

40.00 set temp. g. sec. port

78.95 Intersect N. S. line 47 Ms. N. of port -

Land level 3. rate, timber Beech, Ash, Oak &  
Upr. Spice &

West Connected between Sec. 23 &amp; 26

18.50 a Beech 16 in. dia.

39.47 set g. sec. port at over. dist. from which

a Beech 10 in. dia. bears N 80 E 22 Ms. dist. 3

a Do 9 " " " S 18 E 21 " "

53.00 a W. Oak 17 " "

78.95 to sec. cor.

North between Sec. 22 &amp; 23

27.70 a Beech 6 in. dia.

40.00 set g. sec. port from which

a Beech 7 in. dia. bears East 12 Ms. dist. 3

a Hickory 10 " " " West 18 " "

61.50 a W. Elm 20 " "

80.00 set port cor. of sec. 14, 15, 22 &amp; 23 from which

a Ash 5 in. dia. bears N 80 E 4 Ms. dist. 3

a Do 6 " " " S W 9 " "

Land level 3. rate, timber Beech, Ash, Sugar  
Oak, Elm & Upr. Spice &

East in Random between Sec. 14 &amp; 23

40.00 set temp. g. sec. port

79.10 Intersect N. S. line 11 Ms. N. of port -

Land level 2. rate, timber Beech, Ash, Elm &  
Upr. Spice

West Connected between Sec. 14 &amp; 23

21.00 a Buckeye 6 in. dia.

T. 15 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

39.55 set g. sec. part at aver. dirt from which  
 a W. Ash 10 in. diam bears S 85° W 25 lbs. dirt. 8  
 a Do 11 " " " N 73° E 35 " "  
 59.10 a Beech 10 " "  
 79.10 to sec. cor. September 12. 1820

## North between Sect. 14 &amp; 15

18.90 a Maple 10 in. dia.  
 40.00 set g. sec. part from which  
 a Beech 12 in. diam bears N 80° E 25 lbs. dirt. 8  
 a Do 9 " " " N 85° W 13 " "  
 60.25 a Bur Oak 13 " "  
 80.00 set part cor. of sec. 10, 11, 14 & 15 from which  
 a Beech 12 in. diam bears East 12 lbs. dirt. 8  
 a Do 10 " " " N 71° W 11 " "  
 Land level & wet, timber Beech, Ash, Oak,  
 Sugar & Hys. Spice &c.

## East on Randon between Sect. 14 &amp; 14

40.00 set temp. g. sec. part  
 78.95 Intersect N & S line 17 lbs. S. of part -  
 Land level & wet, timber Beech, Ash, Oak  
 Hys. Spice

## West corner between Sect. 11 &amp; 14

18.00 a Beech 11 in. dia.  
 39.47 set g. sec. part at aver. dirt from which  
 a Beech 12 in. dia bears S 10° W 18 lbs. dirt. 8  
 a Do 16 " " " N 15° E 20 " "  
 60.00 a Hickory 20 " "  
 78.95 to sec. cor.

## North between Sect. 10 &amp; 11

19.00 a Bur Oak 24 in. dia.

## T. 15 N., R. 6 E. S. Mer. Ind. a.

- 40.00 Set of sec. port from which  
an Elm 10 in. dia bears S 80° W 9 lbs. dist. 8  
a S. Beech 5 " " N 15° E 10 " "
- 66.00 a Maple 24 " "
- 80.00 Set port cor. of sec. 2, 3, 10 & 11 from which  
a Sugar 14 in. dia bears West 25 lbs. dist. 8  
a Beech 9 " " " S 35° E 18 " "  
Land level wet, timbered Ash, Beech, Oak,  
Sugar, Elm, Maple & Upr. Spice &c.

## East on Randon between Sec. 2 &amp; 11

- 40.00 Set temp. of sec. port
- 79.31 Intersect N. S. line 32 lbs. N. of port -  
Land 3 rate, level wet, timbered Beech, Ash, Sugar,  
Elm, Oak, Hickory & Upr. Spice

## West Connected between Sec. 2 &amp; 11

- 18.60 an Ash 8 in. dia,
- 39.65 Set of sec. port at aver. dist. from which  
a Sycamore 18 in. dia bears East 10 lbs. dist. 8  
an S. Ash 3 " " " S 85° W 20 " "
- 59.31 a Beech 8 " "
- 79.31 to sec. cor.

## North between Sec. 2 &amp; 3

- 22.50 a Beech 11 in. dia.
- 40.00 Set of sec. port from which  
a Beech 7 in. dia bears West 12 lbs. dist. 8  
a S. Ash 5 " " " N 60° W 30 " "
- 56.20 a W. Oak 30 " "
- 66.43 Intersect N. Boundary 103 lbs. E. of port -  
Set port at intersection cor. of sec. 2 & 3 from which  
a Beech 10 in. dia bears North 4 lbs. dist. 8  
a Do 10 " " " South 35 " "

## T. 15 N., R. 6 E. 2. Mer. Ind. a

Land level 3. rate, timber Beech, Sugar, Ash, Oak,  
 Hickory & Upr. Spice & September 13. 1820

## North between Sect. 33 &amp; 34

10.00 a Stream 50 yds. wide course S W

30.25 a Bur Oak 36 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. dia bears N 30 W 5 yds. dist. &

a Do 6 " " " N 78 E 10 " "

71.00 a W. Ark 10 " "

80.00 set post cor. of sect. 27, 28, 33 & 34 from which

a W. Oak 40 in. dia bears N 85 W 30 yds. dist. &

a Beech 11 " " East 20 " "

Land level 2. rate, timber Beech, Ash, Oak,  
 Elm, Sugar; Upr. Spice &

## East on Random between Sect. 27 &amp; 34

40.00 set temp. g. sec. post

79.68 Intersect N & S line 50 yds. N. of post—

Land level 3. rate, timber Beech, Ash, Sugar,  
 Oak & Upr. Spice &

## West Corrected between Sect. 27 &amp; 34

20.15 a Beech 6 in. dia.

39.84 set g. sec. post at area. dist. from which

a Beech 15 in. dia bears East 16 yds. dist. &

a Do 11 " " " N 70 W 20 " "

59.70 a Do 11 " "

79.68 to sec. cor.

## North between Sect. 27 &amp; 28

29.85 a W. Ark 22 in. dia.

40.00 set g. sec. post from which

a W. Ark 16 in. dia bears S 43 E 14 yds. dist. &



## T. 15 N., R. 6 E. 2. Mer. Ind.?

a W. Ash 24 in. dia. bears S 70° W 25 Ms. dist.

62.00 a Beech 11 " "

80.00 set port cor. of sec. 21, 22, 27 & 28 from which

a W. Ash 14 in. dia. bears North 16 Ms. dist. S,

a Beech 13 " " " S 20° W 28 " "

Land level 3<sup>rd</sup> rate, timbered Beech, Ash, Oak,  
Upr. Spice &c.

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. port

79.27 Intersect N 2 E line 8 Ms. N. of port -

Land level 3<sup>rd</sup> rate, timbered Beech, Ash, Oak &c.,  
Upr. Spice

West Connected between Sec. 22 & 27

19.07 a Poplar 30 in. dia.

39.63 set g. sec. port at aver. dist. from which

a Hickory 14 in. dia. bears N 60° W 7 Ms. dist. S,

a Beech 8 " " " S 20° W 5 " "

59.20 a Do 24 " "

79.27 to sec. cor.

North between Sec. 21 & 22

27.30 a Beech 20 in. dia.

40.00 set g. sec. port from which

a Beech 8 in. dia. bears South 10 Ms. dist. S,

an Ironwood 3 " " " East 20 " "

62.00 a Sycamore 30 " "

80.00 set port cor. of sec. 15, 16, 21 & 22 from which

a W. Oak 24 in. dia. bears N 80° W 8 Ms. dist. S,

a Beech 10 " " " S 30° E 15 " "

Land level 3<sup>rd</sup> rate, timbered Ash, Beech, Oak  
&c. Upr. Spice

T. 15 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

East on Random between Sec. 15 &amp; 22

40.00 set temp. g. sec. post

79.10 Entered N &amp; S line at post -

Land level 3<sup>d</sup> rate, timber Beech, Ash, Hickory,  
Oak & Upr. Spice &c

West connected between Sec. 15 &amp; 22

19.00 a Sycamore 20 in. dia.

39.55 set g. sec. post at aver. dist. from which  
a W. Ash 14 in. diameter North 3 W. dist. 8,  
a Beech 13 " " " SE 12 " "

62.00 a Br. Oak 30 " "

79.10 to sec. cor. September 14. 1820

North between Sec. 15 &amp; 16

22.45 a W. Elm 15 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. diameter N 20 E 5 W. dist. 8,

a Do 5 " " " S 25 E 20 " "

63.62 a Do 8 " "

80.00 set post cor. of sec. 9, 10, 15 &amp; 16 from which

a Beech 10 in. diameter S 10 W 7 W. dist. 8,

a W. Oak 24 " " " N 20 E 17 " "

Land level 3<sup>d</sup> rate, timber Ash, Beech, Oak &  
Upr. Spice &c

East on Random between Sec. 10 &amp; 15

40.00 set temp. g. sec. post

60.00 a Swamp

71.00 dry land

79.40 Entered N &amp; S line 40 W. N. of post -

Land level 3<sup>d</sup> rate, timber Beech, Ash, Oak,  
Upr. Spice &c

## T 15 N., R. 6 E., T. 2. Mer. Ind. a

## West Connected between Sec. 10 &amp; 15

19.20 a Willow 8 in. dia.

39.73 set g. sec. post at avr. dist. from which  
a Beech 11 in. dia. bears S 71° W 18 lbs. dist. 8,  
a Do 10 " " " N 30° E 32 " "

60.70 a Do 7 " "

79.46 to sec. cor.

## North between Sec. 9 &amp; 10

24.40 a W. Elm 30 in. dia.

30.00 a Swamp

40.00 set g. sec. post from which  
a Willow 5 in. dia. bears S 20° W 10 lbs. dist. 2,  
a Do 3 " " " S 35° E 15 " "

42.00 dry land

51.00 a Beech 8 in. dia.

50.00 set post cor. of sec. 3, 4, 9 & 10 from which  
a Beech 7 in. dia. bears N 45° W 8 lbs. dist. 18,  
a Sugar 18 " " " N 80° E 9 " "  
Land level & rate, timber Beech, Ash, Oak,  
Elm; Upr. Spice 4.

## East on Random between Sec. 3 &amp; 10

40.00 set the temp. g. sec. post

79.58 Intersect W. Line 16 lbs. N. of post—  
Land hilly & rate, timber Beech, Ash, Oak,  
Upr. Spice 4.

## West Connected between Sec. 3 &amp; 10

19.00 a Hickory 16 in. dia.

39.79 set g. sec. post at avr. dist. from which  
a Beech 6 in. dia. bears North 4 lbs. dist. 8,  
a Do 15 " " " S 10° W 19 " "

60.40 a Do 13 " "

## T.B.N., R. O. E. I. Mer. Ind.

79.53 to sec. cor.

North between Sec. 30 &amp; 34

25.00 a W. Elm 30 in. dia.

28.00 a Stream 75 yds. wide course S 20 W

40.00 set g. sec. post from which

a Beech 8 in. dia. bears S 80 E 14 yds. dist. 8,

a Cherry 12 " " " N 20 W 30 " "

59.50 a Beech 11 " "

65.80 Intersect N. Boundary 127 yds. E. of post -

Set post at intersection cor. of sec. 30 &amp; 34 from which

a Buckeye 8 in. dia. bears N 10 E 20 yds. dist. 8,

a Hackberry 14 " " " N 55 W 20 " "

Land hilly 2<sup>nd</sup> rate, timber Beech, Ash, Oak &c.

Upr. Spice - September 15. 1820

North between Sec. 32 &amp; 33

25.68 a Beech 7 in. dia.

40.00 set g. sec. post from which

a Beech 11 in. dia. bears East 10 yds. dist. 8,

a Do 11 " " " N 80 W 28 " "

68.00 a Do 15 " "

80.00 set post cor. of sec. 28, 29, 32 &amp; 33 from which

a Hickory 12 in. dia. bears S 30 W 25 yds. dist. 8,

a Beech 17 " " " N 10 W 32 " "

Land level 3<sup>rd</sup> rate, timber Beech, Ash, Oak &c.

Upr. Spice &amp;c.

East on Random between Sec. 28 &amp; 33

40.00 set temp. g. sec. post

79.63 Intersect N. G. line 14 yds. N. of post -

Land hilly 3<sup>rd</sup> rate, timber Beech, Ash, Oak &c.

Upr. Spice &amp;c.

## T. 15 N., R. 6 E. 2. Mer. Ind. a

West Connected between Sec. 28 &amp; 33

20.25 a Beech 16 in. dia.

39.81 set g. sec. post at aver. dirt. from which  
a Beech 12 in. dia. bears N 30 E 8 lbs. dirt. 8,  
a Do 10 " " " S 10 E 10 " "

60.20 a Do 11 " "

79.63 to sec. cor.

North between Sec. 28 &amp; 29

20.60 a Beech 20 in. dia.

40.00 set g. sec. post from which  
a Beech 6 in. dia. bears N 85 W 12 lbs. dirt. 8,  
a Sugar 7 " " " S 80 E 30 " "

64.40 a W. Oak 48 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
a Sugar 6 in. dia. bears S 18 E 20 lbs. dirt. 8,  
a Beech 7 " " " N 50 W 25 " "  
Land hilly 2. rate, timber Beech, Ash, Oak,  
Elm & Upr. Spice &c

East on Random between Sec. 21 &amp; 28

40.00 set temp. g. sec. post

79.91 Intersect N. S. line at post -  
Land level 3 rate, timber Beech, Ash, Sugar  
&c Upr. Spice &c

West Connected between Sec. 21 &amp; 28

20.70 a Beech 6 in. dia.

39.95 set g. sec. post at aver. dirt. from which  
a Beech 12 in. dia. bears West 3 lbs. dirt. 8,  
a Do 6 " " " N 70 E 30 " "

60.25 a Do 6 " "

79.91 to sec. cor.



T. 15 N., R. 6 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

North between Sec. 20 &amp; 21

27.00 a W. Oak 20 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears S 80° W 12 Ms. dist. 8,

a W. Ash 18 " " " S 70° E 13 " "

62.00 a Beech 14 " "

74.50 A Spring

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a Sugar 8 in. dia. bears East 10 Ms. dist. 8

a Do 10 " " " S 50° W 10 " "

Land hilly 2<sup>d</sup> rate, timber Beech, Hickory, Ash,  
Oak &c. Upr. Spice &c. September 16. 1820

East on Random between Sec. 16 &amp; 21

40.00 set temp. g. sec. post

80.30 Intersect N. &amp; S. line 10 Ms. N. of post -

Land level 2<sup>d</sup> rate, timber Beech, Oak, Ash &c.  
Upr. Spice &c.

West Connected between Sec. 16 &amp; 21

20.30 a W. Elm 11 in. dia.

40.15 set g. sec. post at aver. dist. from which

a Beech 5 in. dia. bears S 55° E 10 Ms. dist. 8,

a Do 2 " " " N 80° W 8 " "

60.50 a Do 7 " "

80.30 to sec. cor.

North between Sec. 16 &amp; 17

8.00 a Stream 75 Ms. wide corner S 20° W

25.45 a Beech 8 in. dia.

40.00 set g. sec. post from which

a Sugar 6 in. dia. bears S 20° W 18 Ms. dist. 8,

a Do 10 " " " N 10° E 25 " "

61.40 a W. Ash 16 " "

T. 15 N., R. 6 E., T. 36 S., Ind. a

307

80.00 Set post cor. of sec. 8, 9, 10 & 17 from which  
a Sugar 6 in. diam bears East 5 lbs. dist. S  
a W. Oak 48 " " West 18 " "  
Land hilly 2<sup>nd</sup> rate, timber Beech, Hickory, Ash,  
Oak & Upr. Spice

East on Random between Sec. 9 & 16

29.00 a Stream 75 lbs. wide course S

40.00 Set temp. g. sec. post

80.00 Intersect N & S. line 27 lbs. S. of post -  
Land hilly 2<sup>nd</sup> rate, timber Beech, Oak, Ash  
& Upr. Spice

West Connected between Sec. 9 & 16

20.50 a Hickory 19 in. dia.

40.00 Set g. sec. post at aver. dist. from which  
a Beech 6 in. diam bears N 85 E 18 lbs. dist. S  
a Do 14 " " S 80 W 30 " "

60.50 a Do 12 " "

80.00 to sec. cor.

North between Sec. 8 & 9

20.00 a Beech 14 in. dia.

40.00 Set g. sec. post from which  
a W. Ash 12 in. diam bears East 12 lbs. dist. S  
a Do 8 " " S 80 W 20 " "

60.50 a Beech 11 " "

80.00 Set post cor. of sec. 4, 5, 8 & 9 from which  
a W. Oak 30 in. diam bears East 15 lbs. dist. S  
a Do 24 " " S 20 E 6 " "  
Land level 3<sup>rd</sup> rate, timber Beech, Ash, Sugar  
& Upr. Spice &

East on Random between Sec. 4 & 9

## T. 15 N., R. 6 E., T. 2. Mer. Ind.?

40.50 set temp. g. sec. port

66.00 a Stream 75 Ms. wide course S 30° W

80.16 Intersect N. & S. line 6 Ms. E. of port -  
Land hilly 2<sup>d</sup> rate, timber Beech, Ash, Oak & -  
Upr. Spruce &

West Connected between Sec. 4 & 9

20.00 a W. Ash 20 in. dia.

40.08 set g. sec. port at aver. dist. from which  
a Beech 16 in. dia. bears S 75° E 26 Ms. dist. 3 north

62.00 a Do 8 " "

80.16 to sec. cor.

North between Sec. 4 & 5

21.80 a Hickory 30 in. dia.

40.00 set g. sec. port from which  
a Beech 15 in. dia. bears South 14 Ms. dist. 3  
an Ironwood 2 " " " N 20° W 5 " "

55.00 a Beech 10 " "

64.97 Intersect N. Boundary 95 Ms. E. of port -  
set port at intersection cor. of Sec. 4 & 5 from which  
a Beech 7 in. dia. bears West 8 Ms. dist. 3  
a Do 4 " " " N 40° E 18 " "  
Land level 2<sup>d</sup> rate, timber Beech, Ash, Oak & -  
Upr. Spruce & September 18, 1820

North between Sec. 31 & 32

18.00 a W. Elm 14 in. dia.

40.00 set g. sec. port from which  
a Sugar 6 in. dia. bears N 25° W 35 Ms. dist. 3  
a Beech 4 " " " S 10° W 25 " "

67.75 a Do 12 " "

80.00 set port cor. of sec. 29, 30, 31 & 32 from which  
a Sugar 5 in. dia. bears S E 20 Ms. dist. 3

## T. 15 N., R. 6 E., 2. Mer. Ind. a

a Sugar 11 in. dia. leans S 70 W 25 lbs. dist.  
Land hilly 2<sup>nd</sup> rate; timber Beech, Ash, Oak,  
Elm; Upr. Spice

## East on Random between Sec. 29 &amp; 32

37.00 a Stream 75 lbs. wide course S 30 W

40.00 let temp. g. sec. port

80.09 Intersect N. E. line 88 lbs. N. of port -

Land hilly 2<sup>nd</sup> rate; timber Beech, Ash, Oak,  
Elm & Upr. Spice &

## West Connected between Sec. 29 &amp; 32

20.78 a Beech 8 in. dia.

40.05 let g. sec. port at aver. dist. from which

a Bur Oak 16 in. dia. leans South 9 lbs. dist. 8

a Beech 10 " " " N 70 E 10 " "

60.34 a Do 7 " " "

80.09 to sec. cor.

## North between Sec. 29 &amp; 30

21.12 a Hickory 12 in. dia.

40.00 let g. sec. port from which

a Beech 28 in. dia. leans N 40 W 18 lbs. dist. 8

a Do 5 " " " S 35 E 20 " "

62.50 a W. Ash 16 " "

80.00 let port cor. of sec. 19, 20, 29 & 30 from which

a Beech 12 in. dia. leans S 10 E 30 lbs. dist. 8

a Do 10 " " " N 20 W 20 " "

Land level 3<sup>rd</sup> rate; timber Beech, Ash, Oak  
& Upr. Spice &

## East on Random between Sec. 20 &amp; 29

40.00 let temp. g. sec. port

70.00 a Stream 75 lbs. wide course S.

## T. 15 N., R. 6 E., S. 1 Mer. Ind. a

80.50 Intersect N. & L. line 30 M. N. of port -  
 Land hilly & rated, timber Beech, Ash, Oak  
 & Upr. Spruce & September 19. 1820

## West Connected between Sec. 20 &amp; 29

22.00 a Beech 8 in. dia.

40.25 Set of sec. port at aver. dist from which  
 a W. Ash 10 in. dia. bears S 20 E 5 M. dist 18  
 a Beech 9 " " " S 70 W 18 " "

60.50 a W. Ash 20 " "

80.25 to sec. cor.

## North between Sec. 19 &amp; 20

18.00 a W. Oak 30 in. dia.

40.00 Set of sec. port from which  
 a S. Ash 18 in. dia. bears S 67 W. dist 18  
 a Do 28 " " " West 13 " "

63.50 a W. Elm 20 " "

80.00 Set port cor. of sec. 17, 18, 19 & 20 from which  
 a W. Elm 15 in. dia. bears N 70 E 11 M. dist 18  
 a Red Oak 11 " " " S 60 W 18 " "  
 Land level & rated, timber Beech, Oak, Ash,  
 Hickory & Upr. Spruce &

## East cor. Random between Sec. 17 &amp; 20

40.00 Set temp. of sec. port

78.50 a Stream 75 M. wide course S W

79.70 Intersect N. & L. line 45 M. N. of port -  
 Land level & rated, timber Beech, Ash, Sugar  
 Upr. Spruce &

## West Connected between Sec. 17 &amp; 20

20.00 a Beech 7 in. dia.

39.85 Set of sec. port at aver. dist from which



# T. 15 N., R. 6 E., S. 2. Mer. Ind. a

311

a Gum 7 in. dia. beam S 10 E 12 lbs. dist. 3

a Beech 6 " " " N 18 W 15 " "

59.50 a W. Oak 24 " "

79.70 to sec. cor.

North between Sec. 17 & 18

17.50 a W. Ash 18 in. dia.

40.00 set g. sec. post from which

a Beech 7 in. dia. beam S E 2 lbs. dist. 3

a Do 12 " " " N 10 E 34 " "

67.00 a Do 12 " "

80.00 set post on g. sec. 7/8, 17 & 18 from which

a Beech 7 in. dia. beam N 60 W 8 lbs. dist. 3

a Hickory 8 " " " N 85 E 9 " "

Land level 3 rods, timber Beech, Ash, Hickory,  
Oak & W. Spruce & Fir.

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. post

79.86 Interest N. S. line 62 lbs. N. of post -

Land principally level 3 rods, timber Beech,  
Sugar, Oak, Ash & W. Spruce & Fir.

West Connected between Sec. 8 & 17

20.00 a W. Elm 24 in. dia.

39.93 set g. sec. post at area. dist. from which

a Beech 12 in. dia. beam N 14 W 19 lbs. dist. 3

a Do 7 " " " S 10 W 16 " "

59.66 a W. Elm 16 " "

79.86 to sec. cor.

North between Sec. 7 & 8

28.00 a B. Gum 14 in. dia.

40.00 set g. sec. post from which

T. 15 N., R. 6 E. 2. Mer. Ind. <sup>a</sup>

a Beech 7 in. dia. leans West 16 lbs. dist. 8,  
 a Do 6 " " " S 85 E 10 " "  
 62.00 a W. Elm 9 " "  
 80.00 set part cor. of Sec. 5, 6, 7 & 8 from which  
 a W. Oak 16 in. dia. leans N 30 E 5 lbs. dist. 8,  
 a Beech 4 " " " S 5 W 11 " "  
 Land level 3<sup>d</sup> rate, timber Beech, Oak, Ash,  
 Hickory & W. W. Spruce &

## East on Random between Sec. 5 &amp; 8

40.00 set temp. g. sec. part  
 79.87 Intersect N. S. line 30 lbs. N. of port—  
 Land level 3<sup>d</sup> rate, timber Oak, Ash, Beech,  
 Hickory & W. W. Spruce &

## West Corrected between Sec. 5 &amp; 8

28.00 a Hickory 18 in. dia.  
 39.93 set g. sec. part at av. dist. from which  
 a Beech 11 in. dia. leans S 40 W 5 lbs. dist. 8,  
 a W. Ash 2 " " " N 80 W 7 " "  
 60.50 a Beech 8 " "  
 79.87 to Sec. cor.

## North between Sec. 5 &amp; 6

23.00 a W. Elm 11 in. dia.  
 40.00 set g. sec. part from which  
 a Beech 12 in. dia. leans S 15 W 11 lbs. dist. 8,  
 a W. Elm 15 " " " N 30 E 10 " "  
 53.12 a Beech 16 " "  
 63.25 Intersect N. Boundary 70 lbs. E. of port—  
 set port at intersection cor. of Sec. 5 & 6 from which  
 a S. Beech 5 in. dia. leans East 6 lbs. dist. 8,  
 a S. Ash 7 " " " S W 48 " "  
 Land level 3<sup>d</sup> rate, timber Beech, Ash, Sugar,

## T. 15 N., R. 6 E., S. Mer. Ind. a

Elev 4. Upr. Spice September 20, 1820

West between Secs. 30 &amp; 31

25.00 a Burr Oak 30 in. dia.

40.00 Set of sec. post from which

a Sugar 4 in. dia. bears South 6 Ms. dist. 8,

a Beech 7 " " " N 25 E 7 " "

59.75 a Do 18 " "

77.66 Intersect W. Boundary 186 Ms. N. of post -

Set post at intersection cr. of sec. 30 &amp; 31 from which

a W. Elm 20 in. dia. bears S E 15 Ms. dist. 8,

a Boxelder " " " North 50 " "

Land level 2<sup>d</sup> rate, timber Beech, Ash, Oak,

Elev 4. Upr. Spice 4.

West between Secs. 19 &amp; 30

22.00 a Burr Oak 30 in. dia.

40.00 Set of sec. post from which

a S. Beech 5 in. dia. bears N 10 E 9 Ms. dist. 8,

a Beech 8 " " " South 21 " "

62.40 a W. Ash 15 " "

76.88 Intersect W. Boundary 180 Ms. N. of post -

Set post at intersection cr. of sec. 19 &amp; 30 from which

a Beech 10 in. dia. bears South 4 Ms. dist. 8,

a Do 12 " " " North 20 " "

Land level 3<sup>d</sup> rate, timber Beech, Sugar, Ash,

Oak 4. Upr. Spice 4.

West between Secs. 18 &amp; 19

21.50 a Hickory 12 in. dia.

40.00 Set of sec. post from which

a Beech 12 in. dia. bears N 20 E 15 Ms. dist. 8,

a Do 10 " " " S 25 W 19 " "

62.40 a Do 8 " "

T. 15 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

77.12 Intersect W. Boundary 171<sup>th</sup>. N. of port -  
 set post at intersection cen. of sec. 18 & 19 from which  
 a Beech 14 in. diam. East 6<sup>th</sup>. dist. 8  
 " Do 4 " " " West 25 " "  
 Land level 3<sup>rd</sup> rate, timber Ash, Oak, Beech, Upr. Spice

West between Sec. 7 & 18

24.00 a Hickory 16 in. dia.

40.00 set g. sec. post from which  
 a W. Ash 10 in. diam. S W 3<sup>th</sup>. dist. 8  
 " S. Beech 4 " " " N 60 W 4 " "

62.00 a Beech 8 " "

76.40 Intersect W. Boundary 155<sup>th</sup>. N. of port -

set post at intersection cen. of sec. 7 & 18 from which  
 a W. Ash 24 in. diam. North 7<sup>th</sup>. dist. 8  
 a Beech 16 " " " South 14 " "  
 Land level 3<sup>rd</sup> rate, timber Beech, Ash, Oak, Elm &  
 Upr. Spice &

West between Sec. 6 & 7

22.00 a Beech 12 in. dia.

40.00 set g. sec. post from which  
 a W. Elm 30 in. diam. S 60 E 8<sup>th</sup>. dist. 8  
 a Beech 7 " " " North 30 " "

55.60 a W. Oak 24 " "

75.60 Intersect W. Boundary 162<sup>th</sup>. N. of port -

set post at intersection cen. of sec. 6 & 7 from which  
 a Beech 10 in. diam. East 2<sup>th</sup>. dist. 8  
 a W. Oak 20 " " " S 50 W 18 " "  
 Land level 3<sup>rd</sup> rate, timber Oak, Beech, Ash, Upr.  
 Spice & September 21. 1821  
 Surveyed by A. Wallace  
 Dep. Surveyor.

I certify that the foregoing transcript of Field  
Notes of the survey of Township N. 15 North, in Range  
N. 6 East of the P. Principal Meridian, in the State  
of Indiana, has been compared with the original  
on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, May 11. 1842

E. S. Cairnes  
Sur. Genl.